Harpeth River Watershed Stakeholder Meeting (Virtual) May 12, 2021

Welcome Jenny Dodd (TDEC) (teams intro)

Scott Gain (facilitator) Re-cap of purpose and context of meeting

Planned Agenda Items:

- Address remaining questions and concerns about model delivered by EPA in previous meeting. Share experiences with the model so far.
- Evaluate readiness to move forward and begin to talk about scenarios to be modeled to identify potential end points.
- Agree on next steps and timeline for completion.

Model Discussion:

- Ryan Jackwood (Harpeth Conservancy)- has run base model. Used WRDB. Model seems OK, somewhat slow, needs more time to evaluate.
- Dennis (TDEC) Has run model, but just received adequate computers to appropriately run model. Will also need more time to evaluate.
- Dustin Bambic (Citizen/Paradigm) expressed that model is very complex for the typical interest group and is interested to hear how others are analyzing the output. Is interested in the model but knows that it takes a while to get up to speed.
- Dorie Bolze (Harpeth Conservancy) asked if anyone else is intending to "dive in" to the modeling.
- Tim Wool (EPA) noted that he has not received any feedback since model handoff and training.
- Scott Gain asked if the City of Franklin has any plans to run the model
- Michelle Hatcher (City of Franklin) they have hired a consultant (Hazen & Sawyer) to run the model, but they have not yet begun that work

Recap from last meeting:

Characteristics of interest: D.O. Diurnal Swing < 5 mg/l

D.O. Absolute Criterion > 5 mg/l

N:P "Balance"

N:P Criterion from "Natural Conditions Run"

Free PO4

With which to evaluate: N and PO4 regime for current and "natural" conditions

N:P ratio for current and "natural" conditions D.O. current and "natural" diurnal swing

Chlorophyll A in relation to N, P, and D.O. Diurnal swing

General Discussion:

Ryan (HC) asked about role of hydrology in scenarios and the spatial and temporal constraints on simulations for consideration in TMDLs.

Saya Qualls (Hazen & Sawyer) - model encompasses the whole watershed but the TMDL just addresses the impaired parts – what would this TMDL ultimately cover?

Discussion: Model scenarios will be run for entire basin but will allow for temporal, spatial, and hydrologic perturbations.

Richard Cochran (TDEC) says TMDL may encompass more than impaired area. Testing for TMDLs will focus primarily on current conditions and constraints on management but also be open to hypothetical changes in primary sources and drivers (i.e. changes in land use or waste loading). Stochastic comparisons of scenario ensembles could play into this eventually.

Constituents of interest: General acceptance by the group of the list of constituents identified at Feb 4, 2020 meeting. Tim Wool (EPA) verified that both dissolved PO4 and TP are simulated by the model.

Model time frame: Runs might include most severe rain events, also perhaps changing climate conditions (temperature), changing land use, changing flow and waste load.

Richard (TDEC) pointed out that the TMDL is expected to deal principally with the current time frame but that this might be revisited and that we must also be thinking about the future.

Discussion: Will the TMDL include a concept of uncertainty or "margin of safety"? Amy Feingold (EPA) stated in the chat that the TMDL must include a Margin of Safety, along with a rationale to be approved by EPA.

Tim Wool (EPA) pointed out that the model report does evaluate sensitivity of parameters but makes no assumptions about the certainty or "safety" in regard to the changes in the system itself.

Discussion: Group indicated some general interest in understanding the effects of uncertainty on conclusions drawn from modeling exercise. Some noted a need for presentation on overall model performance. There was a general sense developing that the meeting participants head not seen a general presentation of the model including what it shows and how well the results can be documented.

Richard (TDEC) offered that TDEC will complete its own evaluation of the model and then prepare a presentation to the group regarding the basic model performance and parameter sensitivity, etc. He noted that TDEC needs time to get new upgraded computers up and running.


It was generally agreed that this should happen before continuing discussion of modeling scenarios for system evaluation.

Jenny (TDEC) then noted that she hoped other organizations who have interest in and experience with the model would continue to work with it in the mean time.

Future Plans:

Next Meeting possibly in late July or August (2021) for a presentation by TDEC concerning model performance. Discussions of modeling scenarios would follow.

Screen Shots of the Teams chat:





That would be great, Jenny. Thank you.

